



Wall mount for ambulance



MAIN APPLICATIONS

Home-Care

Patient Transfer

Room/Ward

Tracheostomy

Emergency

Veterinary

Ambulance Car

Emergency

Rescue

NEW ASKIR 118 is an electric medical device for the nasal, oral and tracheal aspiration of body fluids in children or adults. It is available in two configurations, one specifically designed for use in ambulance car and emergency and the other for home-care and hospital applications. Large LCD for clear reading of vacuum values along with soft keys for vacuum adjustment increase the accuracy of aspiration. Smart operation thanks to the combination of the lightweight lithium-ion battery with the innovating FEEDBACK system that controls and manages the power of aspiration, providing a long autonomy of the battery and quiet noise level during operation. The PROXIMITY function to switch ON or OFF the device without touch prevents and avoids cross-contamination in-between patients. The unit is equipped with a long-life brushless motor eliminating any type of smell and coal residuals. The NEW ASKIR 118 series is available with various options of jar materials, such as the autoclavable polycarbonate (121°C), or the FLOVAC® disposable liners, or the APEC® that can resist up to 143°C. The ambulance wall mount is 10g dynamically tested according to the EN 1789:2007 last edition European Norm.

DIGITAL VERSION ACCESSORIES INCLUDED

- Liquid Collection Jar with overflow valve system (different options, see below)
- Silicone Tubes \varnothing 8x14mm (autoclavable) - Patient Tube length 150cm + Conical Connector \varnothing 10-11-12mm
- Antibacterial & Hydrophobic Filter (single-patient) + CH20 Canula
- Universal switching power adapter (100-240V 50/60Hz) and Cable
- 12V Car Adapter for RE410151/XX code only
- Wall mount for ambulance (size cm 20x16x16) for RE410150/XX code only
- Protective Carrying Case (included for RE410150/XX / option for RE410151/XX code SP 0207/01)



DIGITAL VERSION TECHNICAL FEATURES

Brushless Motor	Oilless and maintenance-free piston pump
Power Feeding	14V \rightleftharpoons 4A by AC/DC Universal Adapter 100-240V / 50-60Hz - 100VA (model UE60-140429SPA1)
	14,8V \rightleftharpoons 5,2A Li-Ion rechargeable battery - Autonomy 70 min. - Recharging Time 6 hours
	12V \rightleftharpoons 4A Car adapter for RE410151/XX code only
	Wall mount for ambulance (12V \rightleftharpoons 4A) for RE410150/XX code only
ISO 10079-1 Classification	HIGH VACUUM / HIGH FLOW
IP Code	IP22
Max Vacuum (adjustable)	-0.75 bar -75 kPa -563 mmHg
Max free air flow rate	26 l/min
Noise level	min. 46,7 dB max. 61,8 dB (depending on power supply)
Duty cycle	Non-stop operation (by mains only)
Weight	kg 4.07 (unit packed with all accessories)
Size	cm 35 x 15 x 19
Years of Warranty	2
Shipping carton	2
Place of Manufacturing	Italy

Italian
Medical
Touch
MADE IN ITALY

DIGITAL VERSION AVAILABLE CONFIGURATIONS

NEW ASKIR 118 with 1000 ml autoclavable jar in polycarbonate
NEW ASKIR 118 with 2000 ml autoclavable jar in polycarbonate
NEW ASKIR 118 with 1000 ml Flovac® disposable liner and reusable container
NEW ASKIR 118 with 1000 ml autoclavable jar in APEC® available upon request
NEW ASKIR 118 with 2000 ml autoclavable jar in APEC® available upon request
Disposable jar 1000 ml available upon request

ASKIR 118

RE 410151
RE 410151/01
RE 410151/02

ASKIR 118 WM

RE 410150
RE 410150/01
RE 410150/02

CE 0123